




Mathias Hohl (Autor)

# Tissue-specific inactivation of subtilases in *Arabidopsis thaliana* by expression of proteinase inhibitors - a new approach to overcome functional redundancy





UNIVERSITÄT HOHENHEIM  
SCHRIFTENREIHE ZUR PHYSIOLOGIE UND  
BIOTECHNOLOGIE DER PFLANZEN




Mathias Hohl

**Tissue-specific inactivation of subtilases in *Arabidopsis thaliana* by expression of proteinase inhibitors – a new approach to overcome functional redundancy**

A. Schaller (Herausgeber) - Band 9



 Cuvillier Verlag Göttingen  
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/7702>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>



# CONTENT

<b>LIST OF FIGURES</b> .....	<b>iv</b>
<b>SUMMARY</b> .....	<b>vii</b>
<b>ZUSAMMENFASSUNG</b> .....	<b>ix</b>
<b>1. INTRODUCTION</b> .....	<b>1</b>
1.1 Regulation of proteolytic activity .....	1
1.2 Competitive inhibitors .....	3
1.3 Competitive inhibitors with exosite binding .....	4
1.4 Suicide inhibitors.....	6
1.5 Physiological roles of proteinase inhibitors in plants.....	7
1.6 Proteinase inhibitors in development and regulation of programmed cell death .....	8
1.7 Inter-species regulation of protease activity during defense .....	11
1.8 Subtilases.....	13
1.9 Plant peptide signaling and the involvement of SBTs in peptide processing.....	14
1.10 Aims of the present work .....	18
<b>2. RESULTS</b> .....	<b>21</b>
2.1 Precursor processing for plant peptide hormone maturation by subtilisin-like serine proteinases .....	21
2.1.1 <i>ABSTRACT</i> .....	22
2.1.2 <i>INTRODUCTION</i> .....	23
2.1.3 <i>RESULTS AND DISCUSSION</i> .....	24
2.1.4 <i>SUPPLEMENTAL FIGURES</i> .....	30
2.1.5 <i>EXPERIMENTAL PROCEDURES</i> .....	44
2.1.5.1 Generation of transgenic Arabidopsis expressing EP1a and EPI10 in abscission zone.....	44
2.1.5.2 Growth of experimental plants .....	45
2.1.5.3 Bioassay for abscission-inducing activity.....	45
2.1.5.4 Bioassay for PGAZAT-inducing activity .....	45
2.1.5.5 Cloning of SBTs and expression in <i>N. benthamiana</i> .....	46
2.1.5.6 Cleavage of IDA-GFP by co-expression with SBTs in <i>N. benthamiana</i> .....	49
2.1.5.7 Zymography of SBT activity and inhibition by EPI10.....	49
2.1.5.8 Expression and purification of EPI1a and EPI10 .....	50



2.1.5.9	Purification of SBT4.12, SBT4.13 and SBT5.2.....	51
2.1.5.10	Expression and purification of GST-IDA.....	52
2.1.5.11	Processing of GST-IDA by SBT4.12, SBT4.13 and SBT5.2.....	53
2.1.5.12	Substrate specificity of SBT4.13 (PICS assay).....	53
2.1.5.13	Confirmation of substrate selectivity using Ala-substituted synthetic peptides.....	55
2.1.5.14	SBT4.12, SBT4.13 and SBT5.2 enzyme kinetics.....	56
2.1.5.15	Dissociation constants for EPI1a and EPI10 interaction with SBT4.13.....	57
2.1.5.16	Genetic complementation of <i>ida</i> with site-directed <i>IDA</i> and <i>ePIPP</i> mutants.....	57
2.1.5.17	Primers used for semi-quantitative RT-PCR.....	59
2.2	A novel subtilase inhibitor in plants shows structural and functional similarities to protease propeptides.....	61
2.2.1	<i>ABSTRACT</i> .....	62
2.2.2	<i>INTRODUCTION</i> .....	63
2.2.3	<i>RESULTS</i> .....	66
2.2.3.1	Phylogeny of I9 inhibitors and primary structure of SPI-1.....	66
2.2.3.2	Proteinase inhibitor activity and specificity of SPI-1.....	68
2.2.3.3	Kinetic analysis of SPI-1 binding and inhibition of SBT4.13.....	71
2.2.3.4	Characterization of the SPI-1/SBT4.13 complex.....	72
2.2.3.5	pH stability of the proteinase/inhibitor complex.....	75
2.2.3.6	Thermal stability of the proteinase/inhibitor complex.....	76
2.2.3.7	Assessment of SPI-1 as folding assistant.....	77
2.2.4	<i>DISCUSSION</i> .....	79
2.2.5	<i>EXPERIMENTAL PROCEDURES</i> .....	82
2.2.5.1	Cloning of SBTs.....	82
2.2.5.2	Cloning of the SBT4.13 propeptide deletion mutant, the PP of SBT4.13, and SPI-1 for expression in <i>N. benthamiana</i> .....	82
2.2.5.3	Transient protein expression in <i>N. benthamiana</i> .....	83
2.2.5.4	Purification of SBT4.13.....	83
2.2.5.5	Expression and purification of N-terminally His <sub>6</sub> -tagged SPI-1.....	83
2.2.5.6	Protease activity against FITC-casein and inhibition by SPI-1.....	84
2.2.5.7	Inhibition of $\alpha$ -chymotrypsin and subtilisin A activity by recombinant SPI-1.....	84
2.2.5.8	SBT4.13 enzyme kinetics.....	85
2.2.5.9	Dissociation constants for the SPI-1/SBT4.13 complex.....	85
2.2.5.10	Determination of pH stability of the SBT4.13/SPI-1 complex.....	86



2.2.5.11	Analysis of the melting temperature of SBT4.13 and SBT4.13/SPI-1 inhibitor complex.....	87
2.2.5.12	Identification of the C-terminal cleavage site of SPI-1 .....	87
<b>3.</b>	<b>DISCUSSION.....</b>	<b>91</b>
<b>4.</b>	<b>BIBLIOGRAPHY.....</b>	<b>103</b>
<b>5.</b>	<b>APPENDIX .....</b>	<b>119</b>
5.1	Primers for cloning of Prom::EPI constructs: .....	119
5.2	Modelling Methods .....	119
5.3	Model Building Report SBT4.13 (4yn3).....	121
5.4	Model Building Report SPI-1 (4yn3).....	124
5.5	Model Building Report EPI1 (4gi3).....	126
<b>6.</b>	<b>DANKSAGUNG .....</b>	<b>129</b>
<b>7.</b>	<b>ERKLÄRUNG .....</b>	<b>131</b>
<b>8.</b>	<b>LEBENS LAUF .....</b>	<b>133</b>