




Jana Görmer-Redding (Autor)
Autonomous Vehicle Groups in Urban Traffic



<https://cuvillier.de/de/shop/publications/7849>

Copyright:
Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



Contents

| | |
|---|------------|
| Summary | ii |
| Zusammenfassung | iv |
| Acknowledgements | vii |
| 1 Introduction | 1 |
| 1.1 The Argument | 2 |
| 1.2 The Example | 4 |
| 1.3 The Approach | 6 |
| 1.4 The Contribution | 9 |
| 1.5 The Structure | 10 |
| 2 Background | 13 |
| 2.1 Organizational Psychology | 13 |
| 2.1.1 Groups and Cooperation | 14 |
| 2.1.2 Group Models | 18 |
| 2.2 Microscopic Traffic Simulation | 21 |
| 2.2.1 Traffic Control | 22 |
| 2.2.2 Traffic Flow | 24 |
| 2.2.3 Traffic Demand | 25 |
| 2.2.4 Microscopic Models | 26 |
| 2.2.5 Traffic Simulation Systems | 34 |
| 2.3 Multi-Agent Systems | 36 |
| 2.3.1 Agents | 40 |
| 2.3.2 Environment | 45 |
| 2.3.3 Interaction | 47 |
| 2.3.4 Organization | 49 |
| 2.3.5 Multi-agent-based Simulation | 50 |
| 2.3.6 Related Work (on Multi-Agent Traffic Interface (MATI) Framework) | 52 |
| 2.4 Requirements for Vehicle Groups in Traffic | 54 |
| 2.4.1 Scenarios | 54 |
| 2.4.2 Requirements | 55 |



| | | |
|----------|--|------------|
| 3 | State of the Art | 57 |
| 3.1 | Environments: Traffic Control | 57 |
| 3.1.1 | Established Traffic Control | 59 |
| 3.1.2 | Dynamic Traffic Control | 62 |
| 3.2 | Agent Modeling and Simulation in Traffic | 65 |
| 3.2.1 | The Macroscopic View | 66 |
| 3.2.2 | The Mesoscopic View | 67 |
| 3.2.3 | The Microscopic View | 68 |
| 3.3 | Interaction: Traffic Communication | 71 |
| 3.3.1 | Intersection Modeling | 72 |
| 3.3.2 | Vehicle Modeling | 74 |
| 3.4 | Organization: Traffic Architecture | 74 |
| 3.4.1 | Central Architecture | 75 |
| 3.4.2 | Decentralized Architecture | 80 |
| 3.5 | Group Models | 82 |
| 3.5.1 | Group Norms | 83 |
| 3.5.2 | Goal-based Models | 84 |
| 3.5.3 | Comparison of Goal-based Theories | 95 |
| 3.5.4 | Role-based Models | 98 |
| 3.5.5 | Comparison of vertical dimensions | 101 |
| 3.6 | Assumptions | 101 |
| 3.6.1 | Settings of Urban Traffic | 102 |
| 3.6.2 | Settings of Simulation | 102 |
| 3.6.3 | Settings of Agents | 103 |
| 3.7 | Research Gap | 104 |
| 3.8 | Summary | 108 |
| 4 | Agent-based Traffic Management Systems | 109 |
| 4.1 | Requirements | 110 |
| 4.2 | Comparison: Agent-oriented Simulation for Cooperative Traffic | 111 |
| 4.3 | Own Approaches | 112 |
| 4.3.1 | Streetworld: Agent-based Traffic Simulation | 112 |
| 4.3.2 | Simulation package of Transport Simulation Systems integrating three types of transport perspectives (AIMSUN) Extended | 120 |
| 4.3.3 | Simulation Scenario | 123 |
| 4.3.4 | ATSim: Agent-based Traffic Simulation System | 131 |
| 4.3.5 | Multi-Agent Traffic Interface (MATI) | 138 |
| 4.4 | Summary | 149 |
| 5 | A Model for Vehicle Group Formation | 151 |
| 5.1 | The Conceptual Model | 151 |
| 5.1.1 | A-E-I-O-S Categories | 153 |
| 5.1.2 | Functional Characterization | 156 |
| 5.2 | Individual Control | 158 |
| 5.2.1 | Vehicle Agents | 161 |



| | | |
|----------|---|------------|
| 5.2.2 | Execution Layer | 162 |
| 5.2.3 | Patterns of Behavior | 164 |
| 5.3 | Group Planning | 167 |
| 5.3.1 | Physical Environment | 168 |
| 5.3.2 | Traffic Cooperation | 177 |
| 5.3.3 | Information System | 178 |
| 5.3.4 | Rewards and Recognition | 179 |
| 5.4 | Group Methods and Structure | 179 |
| 5.4.1 | Goals | 181 |
| 5.4.2 | Motivating Task | 182 |
| 5.4.3 | Group Mission | 183 |
| 5.4.4 | Group Membership | 184 |
| 5.5 | Group Formation Process | 185 |
| 5.5.1 | Conflict Management | 196 |
| 5.5.2 | Communication | 198 |
| 5.5.3 | Boundary Management | 199 |
| 5.6 | Implementation: Grouping Algorithm | 202 |
| 5.7 | Summary | 210 |
| 6 | Urban Traffic Groups: A Case Study | 211 |
| 6.1 | Simulation Scenarios | 212 |
| 6.1.1 | Settings | 212 |
| 6.1.2 | Artificial Three Lane Scenario | 214 |
| 6.1.3 | The Intersection Scenario | 214 |
| 6.1.4 | Realistic Hildesheimer Street Data as a Green Wave Scenario | 217 |
| 6.1.5 | Realistic Southern Part of Hanover Scenario | 219 |
| 6.1.6 | Artificial Manhattan Grid Scenario | 220 |
| 6.2 | Environment: Traffic Simulation | 222 |
| 6.2.1 | Creating Environment | 222 |
| 6.2.2 | Initializing of Vehicle Groups | 223 |
| 6.3 | Agents: The Design of Autonomous Vehicles | 224 |
| 6.3.1 | Homogeneous Vehicles | 225 |
| 6.3.2 | Heterogeneous Vehicles | 226 |
| 6.3.3 | Agent Implementations | 229 |
| 6.4 | Interaction: Communication between Traffic Participants | 231 |
| 6.4.1 | interpreter for an extended version of AgentSpeak and for programming autonomous agents (Jason) | 234 |
| 6.4.2 | MATI | 234 |
| 6.5 | Organization: Vehicle Groups in Cities | 234 |
| 6.5.1 | Centralized Vehicle Groups | 237 |
| 6.5.2 | Decentralized Hierarchical Groups | 241 |
| 6.5.3 | Mixed Dynamic Groups | 248 |
| 6.5.4 | Individual versus Group | 251 |
| 6.5.5 | Cooperative Groups | 252 |
| 6.6 | Summary | 252 |



| | | |
|----------|---|------------|
| 7 | Evaluation and Presentation of Results | 255 |
| 7.1 | Research Questions and Hypotheses | 256 |
| 7.1.1 | Group Effectiveness | 256 |
| 7.1.2 | Group Similarities | 258 |
| 7.1.3 | Group Formation | 259 |
| 7.1.4 | Group Parameter | 261 |
| 7.2 | Evaluation Methodology | 263 |
| 7.2.1 | Experimental Design | 264 |
| 7.2.2 | Evaluation Criteria | 264 |
| 7.2.3 | Tools and Measuring Equipment | 266 |
| 7.2.4 | Dimensions | 266 |
| 7.3 | Evaluation Scenarios and Settings | 267 |
| 7.3.1 | Experiment Description | 268 |
| 7.3.2 | Experiment Execution | 275 |
| 7.3.3 | Data Analysis | 279 |
| 7.4 | Simulation Results | 279 |
| 7.4.1 | Analysis of Group Efficiency | 280 |
| 7.4.2 | Statistic Analysis of Distance | 284 |
| 7.4.3 | Statistical Analysis of Group Formation | 287 |
| 7.4.4 | Statistical Analysis Parameter | 288 |
| 7.5 | Discussion of Outcomes | 294 |
| 7.5.1 | Discussion of Research Questions and Hypotheses | 296 |
| 7.5.2 | General Outcome and Further Results | 308 |
| 7.6 | Summary | 309 |
| 8 | Conclusions and Future Perspectives | 311 |
| 8.1 | Main Contributions | 311 |
| 8.1.1 | Vehicle Groups in Urban Traffic | 312 |
| 8.1.2 | Microscopic Agent-Based Simulation Tool | 312 |
| 8.1.3 | Evaluation of Vehicle Groups | 313 |
| 8.2 | Limitations and Future Work | 314 |
| | Appendices | 317 |
| A | Car Following Models | 319 |
| A.1 | Nagel-Schreckenberg Model (1992) | 319 |
| A.2 | Kinematic Distance Model | 321 |
| A.3 | Model by Pipes (1953) | 323 |
| A.4 | GHR Model (1961) | 323 |
| A.5 | Model by Wiedemann (1974) | 324 |
| A.6 | Optimal Velocity Model (1995) | 325 |
| A.7 | Intelligent Driver Model (2000) | 327 |



| | | |
|----------|--|------------|
| B | Existing Agent-Oriented Simulation Platforms | 329 |
| B.1 | Efficiency of Agent Simulation | 331 |
| B.2 | AnyLogic | 332 |
| B.2.1 | Installation | 332 |
| B.2.2 | Advantages | 333 |
| B.2.3 | Disadvantages | 333 |
| B.2.4 | Conclusion | 333 |
| B.3 | Java Agent DEvelopment Framework (JADE) | 333 |
| B.3.1 | Installation | 333 |
| B.3.2 | Advantages | 335 |
| B.3.3 | Disadvantages | 335 |
| B.3.4 | Conclusion | 335 |
| B.4 | Jason | 335 |
| B.4.1 | Installation | 335 |
| B.4.2 | Advantages | 335 |
| B.4.3 | Disadvantages | 337 |
| B.4.4 | Conclusion | 337 |
| B.5 | MASON: Multi-Agent Simulator Of Neighborhoods/Networks | 337 |
| B.5.1 | Installation | 337 |
| B.5.2 | Advantages | 337 |
| B.5.3 | Disadvantages | 337 |
| B.5.4 | Conclusion | 339 |
| B.6 | MATSim: Multi-Agent Transport Simulation Toolkit | 339 |
| B.6.1 | Installation | 340 |
| B.6.2 | Advantages | 340 |
| B.6.3 | Disadvantages | 340 |
| B.6.4 | Conclusion | 340 |
| B.7 | NetLogo | 341 |
| B.7.1 | Installation | 341 |
| B.7.2 | Advantages | 341 |
| B.7.3 | Disadvantages | 341 |
| B.7.4 | Conclusion | 341 |
| B.8 | Repast S | 341 |
| B.8.1 | Installation | 341 |
| B.8.2 | Advantages | 344 |
| B.8.3 | Disadvantages | 344 |
| B.8.4 | Conclusion | 344 |
| B.9 | SeSAm: Shell for Simulated Agent Systems | 344 |
| B.9.1 | Installation | 344 |
| B.9.2 | Advantages | 344 |
| B.9.3 | Disadvantages | 344 |
| B.9.4 | Conclusion | 346 |
| B.10 | Summary Agent Simulation for Cooperative Traffic | 346 |



| | | |
|----------|--|------------|
| C | Technical Aspects of MATI | 347 |
| C.1 | Installation of MATI | 350 |
| C.1.1 | SUMO | 350 |
| C.1.2 | Maven | 351 |
| C.1.3 | Dependencies | 352 |
| C.1.4 | Example | 353 |
| C.1.5 | Instructions | 353 |
| C.1.6 | HDF5 | 353 |
| C.2 | Directory and file structure | 354 |
| C.2.1 | Scenario configuration | 354 |
| C.2.2 | Analyzing Tools | 366 |
| C.3 | MATI Test | 372 |
| C.3.1 | Scenario Definition | 372 |
| C.3.2 | Results | 372 |
| C.3.3 | MATI Groups | 375 |
| C.3.4 | Color Sort Implementation | 376 |
| C.3.5 | CNP Implementation | 376 |
| C.4 | Evaluation of Simulation | 378 |
| C.4.1 | Structure of the HDF5 file | 378 |
| C.4.2 | Setup | 381 |
| C.4.3 | Data Import | 382 |
| C.4.4 | Statistic Analysis Distance | 382 |
| C.4.5 | Statistic Analysis Group Formation | 383 |
| C.4.6 | Statistic Analysis Parameter | 384 |
| D | AIMSUN Groups | 391 |
| E | ATSim Groups | 397 |
| | Bibliography | 401 |
| | Curriculum Vitae | 433 |