




Sebastian Tobuschat (Autor)

Predictable and Runtime-Adaptable Network-On-Chip for Mixed-critical Real-time Systems



<https://cuvillier.de/de/shop/publications/7995>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



Contents

| | | |
|------------|--|-----------|
| 1 | Introduction | 1 |
| 1.1 | Motivation | 1 |
| 1.2 | Standards for Safety | 5 |
| 1.3 | Real-Time Traffic Properties | 7 |
| 1.4 | Requirements of Safety-critical Embedded Systems | 10 |
| 1.5 | Research Objective and Contribution | 14 |
| 2 | Networks-on-Chip | 17 |
| 2.1 | Network-on-Chip Basics | 17 |
| 2.1.1 | Topology | 19 |
| 2.1.2 | Routing | 22 |
| 2.1.3 | Switching | 23 |
| 2.1.4 | Virtual Channels | 25 |
| 2.1.5 | Flow Control | 26 |
| 2.1.6 | Baseline Switch Architecture | 27 |
| 2.2 | Selected NoC Architectures | 30 |
| 2.3 | NoC Performance Verification | 41 |
| 3 | Formal Performance Verification of NoCs | 45 |
| 3.1 | Introduction | 46 |
| 3.2 | Related Work | 48 |



| | | |
|------------|---|------------|
| 3.3 | Compositional Performance Analysis (CPA) | 49 |
| 3.3.1 | Introduction | 49 |
| 3.3.2 | CPA for NoCs | 52 |
| 3.4 | Backpressure Aware NoC Analysis | 53 |
| 3.4.1 | Influencing Factors | 54 |
| 3.4.2 | Sources of Blocking | 57 |
| 3.4.3 | Derived Metrics | 67 |
| 3.4.4 | Analysis of Multiple Routers | 70 |
| 3.5 | Evaluation of the Analysis Approach | 72 |
| 3.6 | Summary | 77 |
| 4 | Quality of Service in NoCs | 79 |
| 4.1 | Introduction | 79 |
| 4.2 | Related Work | 81 |
| 4.3 | Providing Efficient Latency Guarantees | 84 |
| 4.3.1 | Baseline Architecture of the Approach | 85 |
| 4.3.2 | Dynamic Prioritization | 86 |
| 4.3.3 | Operational Example | 87 |
| 4.3.4 | Arbitration Logic | 89 |
| 4.3.5 | Analysis of the Approach | 90 |
| 4.3.6 | Finding Admissible BC Values | 95 |
| 4.3.7 | Evaluation | 95 |
| 4.4 | Providing Efficient Throughput Guarantees | 103 |
| 4.4.1 | Progress Monitor and Selective Priority Arbiter | 104 |
| 4.4.2 | Sender Extensions | 105 |
| 4.4.3 | Analysis of the Approach | 105 |
| 4.4.4 | Evaluation | 111 |
| 4.5 | NoC Software-control | 117 |
| 4.5.1 | Problem of Blocking Propagation | 119 |
| 4.5.2 | Control Layer for Resource Management | 121 |
| 4.5.3 | Principle of Operation of the NoC-RM | 123 |
| 4.5.4 | Synchronization in NoC-RM | 125 |
| 4.5.5 | High-level Architecture of the NoC-RM | 127 |
| 4.6 | Summary | 131 |



| | | |
|------------|--|------------|
| 5 | NoC Architecture Supporting a Control-layer | 135 |
| 5.1 | Introduction | 135 |
| 5.2 | Requirements | 137 |
| 5.3 | Architecture Details | 140 |
| 5.3.1 | Virtual or Physical Control Layer | 141 |
| 5.3.2 | Data Transport Layer | 143 |
| 5.3.3 | Control Transport Layer | 151 |
| 5.3.4 | Network Interface | 155 |
| 5.4 | Summary | 164 |
| 6 | Evaluation | 167 |
| 6.1 | Simulation Framework | 167 |
| 6.1.1 | QoS Schemes | 168 |
| 6.1.2 | Use case | 176 |
| 6.2 | Performance Results | 179 |
| 6.3 | Synthesis Results | 186 |
| 6.4 | Evaluation Against Requirements | 188 |
| 6.5 | Summary | 193 |
| 7 | Conclusion | 195 |
| 7.1 | Concepts Extending the QoS Control Layer | 198 |
| 7.1.1 | Quality of Service in the Data Layer | 198 |
| 7.1.2 | Monitoring | 199 |
| 7.1.3 | Power | 200 |
| 7.1.4 | Errors | 201 |
| 7.1.5 | Debug and Testing | 202 |
| A | Appendix: Publications | 203 |
| A.1 | Related Publications | 203 |
| A.1.1 | Reviewed | 203 |
| A.1.2 | Unreviewed | 206 |
| A.2 | Unrelated Publications | 206 |
| | Bibliography | 209 |
| | Glossary | 237 |
| | Acronyms | 243 |