Anissa Zeghuzi (Autor)
Wolfgang Heinrich (Herausgeber)

Analysis of Spatio-Temporal Phenomena in High-Brightness Diode Lasers using Numerical Simulations

https://cuvillier.de/de/shop/publications/8310

Copyright:
Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: https://cuvillier.de

Contents

1 Introduction and Background **1**

2 Optical field model **9**
2.1 The traveling-wave equations 9
2.2 Balance of radiative energy 12
2.3 Effective longitudinal-lateral projected equations 13
2.4 Retrieval of real device characteristics 16
2.5 Summary 18

3 Carrier transport model **19**
3.1 Basic drift-diffusion model 20
3.2 Reduction to effective diffusion equation and models for the injection current 23
3.2.1 Carrier transport in the active region 24
3.2.2 Models for the injection current density 26
3.3 Summary 29

4 Heat model **31**
4.1 Basic equations 32
4.2 Approximate equations for the heat source density 34
4.2.1 Treatment of spontaneous emission 34
4.2.2 Impact of vanishing thermoelectric effects on the heat generation 34
4.2.3 Heat sources for the longitudinal-lateral approximate equations 37
4.3 Energy conservation 40
4.4 Treatment of pulsed operation (no-heat-flow approximation) 42
4.4.1 Experimental validation 45
4.5 Treatment of continuous-wave operation 46
4.6 Summary 49

5 Power saturation under short pulse operation **51**
5.1 Spatial hole burning, current spreading, two-photon absorption and gain compression 52
5.2 Impact of spatio-temporal power variations 55
5.3 Estimation of additional effects not included in the model 56
5.4 Conclusions 58

6 Factors influencing the lateral field profile **61**
6.1 Modulation instability induced by Kerr nonlinearities 62
6.1.1 Bespalov Talanov modulation instability 62

6.1.2 Instabilities induced by the optical material Kerr effect 63
6.1.3 Instabilities induced by spatial hole burning 65
6.1.4 Conclusions 68
6.2 Multi-mode lasing 69
6.3 Nonthermal effects 73
6.3.1 Nonthermal far-field blooming 74
6.3.2 Differential index (α_H-factor) 76
6.3.3 Lateral carrier distribution in the active region 79
6.3.4 Conclusions 82
6.4 Thermal waveguiding effects 83
6.4.1 Short-pulse operation 83
6.4.2 Continuous-wave operation 87
6.4.3 Conclusions 92

7 Improvement of the lateral brightness 93
7.1 Index guiding trenches and implantation 94
7.1.1 Comparison with measurements 95
7.1.2 Conclusions 99
7.2 Contact structuring 100
7.2.1 Coherently coupled laser arrays 101
7.2.2 Talbot lasers 104
7.2.3 Chessboard lasers 106
7.2.4 Conclusions 113

8 Summary and outlook 115

Appendix 119

A Simulation parameters 119

B Nonlinear susceptibility 127

C The Fermi integral $F_{1/2}$ 131

D Numerical schemes 133
D.1 Traveling wave and carrier rate equations 133
D.1.1 Split step Fourier method for solution of traveling wave equations 134
D.1.2 Finite difference scheme for solution of carrier rate equations . . 136
D.1.3 Parallelization 138
D.2 Current spreading and heat transport solvers 138
D.2.1 Current spreading solver 138
D.2.2 Heat transport solver 140

Bibliography 141