



Ying Xiong (Autor)

Reactive transport modeling of fluid-rock interactions associated with carbonate diagenesis and implications for reservoir quality prediction



<https://cuvillier.de/de/shop/publications/8672>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Table of contents

1 Introduction.....	1
1.1 Motivations and objectives	1
1.2 State of the art and scientific challenges.....	2
1.2.1 Overview of carbonate diagenesis	2
1.2.2 Classical diagenesis characterization approaches.....	7
1.2.3 Numerical approach for reservoir diagenesis	14
1.2.4 Challenges in reservoir quality prediction.....	19
1.3 Thesis outline.....	20
2 Fundamentals of coupled thermo-hydro-chemical geo-processes	24
2.1 Major fluid-rock interactions in carbonate rocks.....	24
2.1.1 Carbonate dissolution	25
2.1.2 Replacive dolomitization	29
2.1.3 Gypsum/anhydrite cementation	33
2.2 Theoretical background of reactive transport modeling.....	34
2.2.1 Chemical reactions.....	35
2.2.2 Fluid flow and solute transport.....	40
2.2.3 Reaction-induced porosity and permeability changes	43
2.3 TOUGHREACT simulator	45
2.3.1 Governing equations.....	47
2.3.2 Solution method.....	51
3 Reflux dolomitization in evaporated seawater environment	55
3.1 Basic idea.....	55
3.2 Model setup and parameters	58
3.2.1 Kinetic process of dolomitization.....	58
3.2.2 Generic column model and rock properties	60
3.2.3 Hydrogeological conditions.....	62
3.3 Base case simulation.....	64

3.3.1 Volume change of major minerals	64
3.3.2 Porosity and permeability evolution	67
3.4 Sensitivity analysis	68
3.4.1 Extrinsic controls	69
3.4.2 Intrinsic controls	74
3.4.3 Comparison of different controlling parameters.....	78
3.5 Summary.....	80
4 Eogenetic karst in meteoric water-rock system	82
4.1 Basic idea.....	82
4.2 Model setup and parameters	85
4.2.1 Applicability of the model	85
4.2.2 Generic column model and rock properties.....	86
4.2.3 Hydrogeological conditions.....	88
4.3 Simulation results	91
4.3.1 Duration of subaerial exposure	91
4.3.2 Climate-related rainfall recharge	91
4.3.3 Atmospheric carbon dioxide concentration over geological history	93
4.4 Interpretation and discussion	94
4.4.1 Vertical extent of karst and porosity increment	94
4.4.2 Calcite vs. dolomite	98
4.4.3 Limitations of the continuum model.....	103
4.5 Summary.....	104
5 Case study of hydrocarbon reservoir in the Ordos Basin, China.....	106
5.1 Geological background.....	106
5.1.1 Tectonic and sedimentary characteristics.....	106
5.1.2 Characteristics of reservoir rocks	109
5.2 Multistage reflux dolomitization of carbonate-evaporite successions.....	111
5.2.1 Conceptual geological model and grid system	111
5.2.2 Rock properties and hydrogeological conditions.....	113

5.2.3 Temporal and spatial distributions of mineralogy and porosity.....	117
5.2.4 Rock texture control on dolomitization	118
5.2.5 Effects of seawater compositions and gypsum layers	119
5.2.6 Porosity evolution during dolomitization	124
5.3 Facies-controlled eogenetic karst of shoal deposits.....	128
5.3.1 Conceptual geological model and grid system	128
5.3.2 Rock properties and hydrogeological conditions.....	130
5.3.3 Simulation results and discussion	132
5.3.4 Controlling factors of karst-reservoir development.....	135
5.4 Diagenesis-porosity evolution and carbonate reservoirs prediction	141
5.4.1 Diagenetic history and porosity evolution	141
5.4.2 Implications for carbonate reservoirs exploration	147
5.5 Summary	150
6 Conclusions and outlook	152
References.....	157