



Timo Dymala (Autor)

Application of the MP-PIC Method for Modelling a Novel Plant Design for Biomass Chemical Looping Gasification

SPE INSTITUTE OF
SOLIDS PROCESS
ENGINEERING &
TUHH PARTICLE TECHNOLOGY


SPE-Schriftenreihe

24

Herausgegeben von Prof. Dr.-Ing. habil. Prof. Eh. Dr. h.c. Stefan Heinrich

Timo Dymala

Application of the MP-PIC Method for Modeling a Novel Plant Design for Biomass Chemical Looping Gasification



Cuvillier Verlag Göttingen
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/8894>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Contents

List of Symbols	xv
1 Introduction	1
1.1 Fluidized Bed Technology	1
1.1.1 Fluidization Regimes	1
1.1.2 Lateral Bubble Distribution	3
1.1.3 Geldart’s Particle Classification	4
1.2 Fundamentals of Biomass Gasification	5
1.2.1 Gasification of Biomass	5
1.2.2 Chemical Looping Gasification	7
1.3 CFD Modeling	11
1.3.1 Modeling Approaches	11
1.3.2 Governing Equations	13
1.3.3 Drag Models for Circulating Fluidized Beds	16
1.4 State of the Art	19
1.5 Outline of the Thesis	21
2 Mixing Behavior of Biomass and Bed Material	23
2.1 Experimental and Simulation Setup	23
2.2 Influence of Blended Acceleration Model	26
2.3 Influence of Grid Resolution	28
2.4 Influence of Particle Stress Model	29
2.5 Influence of Fluidization Velocity	31
2.5.1 Vertical Mixing	31
2.5.2 Lateral Mixing	33
2.6 Summary	35
3 Hydrodynamic Analysis of Circulating Fluidized Beds	37
3.1 Experimental and Simulation Setup	37
3.1.1 Experimental Setup	37
3.1.2 Simulation Setup	39
3.2 Drag Model Development	42

3.2.1	Conventional Drag Model	42
3.2.2	EMMS Drag Model Development	43
3.2.3	EMMS Drag Model Results	48
3.3	Simulation Results	50
3.3.1	Influence of Grid Resolution	50
3.3.2	Pressure Drop and Circulation Rate	52
3.3.3	Axial Solids Concentration	52
3.3.4	Influence of Particle Size Distribution	54
3.3.5	Radial Solids Concentration	56
3.4	Summary	58
4	Biomass Gasification	61
4.1	Experimental and Simulation Setup	61
4.2	Reaction Network	64
4.2.1	Biomass Pyrolysis	64
4.2.2	Gasification Reactions	65
4.3	Influence of Grid Resolution	67
4.4	Influence of Bed Mass	68
4.5	Influence of Reactor Temperature	69
4.6	Influence of Steam-to-Biomass Ratio	72
4.7	Summary	73
5	Biomass Gasification Using Ilmenite as Oxygen Carrier	75
5.1	Experimental and Simulation Setup	75
5.2	Oxygen Carrier Reaction Network	78
5.3	Influence of Grid Resolution	79
5.4	Influence of Oxidation Degree	80
5.5	Influence of Reactor Temperature	84
5.6	Summary	86
6	Concept of a Two-Stage Fuel Reactor for Biomass Chemical Looping Gasification	89
6.1	Concept Development	90
6.2	Simulation Setup	93
6.3	Reactor Hydrodynamics	96
6.3.1	Start-up Procedure	96
6.3.2	Influence of Grid Resolution	97
6.3.3	Pressure Drop of the Two-Stage Design	99
6.4	Influence of Oxygen Carrier to Sand Ratio	100
6.5	Influence of Biomass Injection Position	102

6.6	Influence of Oxidation Degree	105
6.7	Influence of Reactor Temperature	107
6.8	Influence of Second Fuel Reactor Stage	109
6.9	Summary	112
7	Conclusion	115
	Bibliography	119
A	Mixing Behavior: Supplementary Data	131
B	Drag Model Development: Supplementary Data	137
C	Adaption of the Oxygen Carrier Kinetics	141
D	Two-Staged Fuel Reactor: Supplementary Data	145
	List of Publications	153