



Olivia Naa Ayorkor Tetteh (Autor)

Impact of Terroir on the Glucosinolates Profile of *Moringa oleifera* Grown in Three Agro-Ecological Zones in Ghana and their Potential Role in Food Security


Berliner ökophysiologische
und phytomedizinische Schriften

Olivia Naa Ayorkor Tetteh

**Impact of Terroir on the
Glucosinolates Profile of
Moringa oleifera Grown in
Three Agro-Ecological Zones in
Ghana and their Potential Role in
Food Security**



Band 57



Cuvillier Verlag Göttingen
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/9019>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Table of Contents

List of Figures.....	iv
List of Tables	v
List of Abbreviations.....	vi
1. Introduction	1
2. Scientific Background.....	5
2.1 Utilization of <i>Moringa oleifera</i>	5
2.1.1 Food	5
2.1.2 Medicinal and health potential of <i>Moringa</i> spp. with particular emphasis on glucosinolates	9
2.2 Effects of environmental factors on glucosinolates profile.....	14
2.2.1 Elevation	15
2.2.2 Temperature	16
2.2.3 Precipitation and relative humidity	18
2.2.4 Solar radiation with particular emphasis on visible light	21
2.2.5 Soil minerals.....	24
2.3 Research advances on <i>Moringa</i> spp. for improved genotypes.....	26
2.4 Harvest and post-harvest strategies to influence glucosinolates in <i>Moringa oleifera</i>	27
2.4.1 Effects of plant compartment, plant developmental stage, and harvest time.....	27
2.4.2 Impact of post-harvest losses on food security and nutrition.....	30
2.4.3 Post-harvest technologies affecting glucosinolates	34
3. Effects of harvest techniques and drying methods on the stability of glucosinolates in <i>Moringa oleifera</i> leaves during post-harvest.....	46
3.1 Introduction	47
3.2 Materials and methods	49
3.2.1 Plant material and post-harvest treatments	49
3.2.2 GS extraction and analysis.....	51
3.2.3 Statistical analysis	52
3.3 Results	53
3.3.1 Influence of drying methods and residual moisture content on glucosinolate profile	53

3.3.2 Influence of harvest techniques in combination with drying methods on glucosinolates	55
3.3.3 Stability of glucosinolates.....	56
3.4 Discussion	59
3.4.1 Drying methods affected glucosinolate content in <i>Moringa oleifera</i> leaves	59
3.4.2 Glucosinolate profile in <i>Moringa oleifera</i> leaves differed depending on harvesting technique in combination with drying method.....	61
3.4.3 Preparation methods, transportation, and storage for optimized glucosinolate contents in <i>Moringa oleifera</i> leaves	62
3.5 Conclusion.....	64
3.6 References	64
4. Effect of terroir on the glucosinolate content of <i>Moringa oleifera</i> grown in three agro-ecological zones of Ghana	68
4.1 Introduction	69
4.2 Materials and methods	71
4.2.1 Description of the agro-ecological zones.....	71
4.2.2 Collection of wild-grown <i>Moringa oleifera</i> leaves.....	71
4.2.3 <i>Moringa oleifera</i> cultivation under semi-controlled conditions	72
4.2.4 Harvest and post-harvest preparation	74
4.2.5 Climate data	75
4.2.6 Soil collection.....	76
4.2.7 Extraction and analysis of intact glucosinolates	80
4.2.8 Statistical Analysis	81
4.3 Results	81
4.3.1 Wild-grown <i>Moringa oleifera</i>	81
4.3.2 Cultivation under semi-controlled conditions.....	85
4.4 Discussion	92
4.4.1 Impact of temperature on glucosinolate profile of <i>Moringa oleifera</i>	92
4.4.2 Impact of rainfall and relative humidity on glucosinolate profile of <i>Moringa oleifera</i>	93
4.4.3 Impact of elevation on glucosinolate profile of <i>Moringa oleifera</i>	94
4.4.4 Impact of different accessions on glucosinolate profile of <i>Moringa oleifera</i>	95

4.4.5 Impact of fertilization and cultivation practices on glucosinolate profile of <i>Moringa oleifera</i>	96
4.5 Conclusion.....	98
4.6 References	98
5. <i>Moringa oleifera</i> Lam., a solution to micronutrient deficiency in Ghana: a review	102
5.1 Introduction	102
5.2 Micronutrients of public health importance	103
5.3 The problem of micronutrient deficiency among children and women of reproductive age in Ghana	105
5.3.1 Children	105
5.3.2 Women of reproductive age including pregnant women.....	106
5.4 <i>Moringa oleifera</i> , a viable competitive micronutrient source	107
5.5 Production, consumption, and utilization of <i>Moringa</i> in Ghana.....	111
5.6 <i>Moringa</i> , a solution to micronutrient deficiency in Ghana	113
5.7 Conclusion.....	114
5.8 References	114
6. General Discussion	120
6.1 Contribution of genetic diversity, conservation, and utilization of <i>Moringa oleifera</i> to food security	120
6.2 Sustainable cultivation of <i>Moringa oleifera</i> under changing climate.....	125
6.3 Methodologies to improve retention of intact glucosinolates in <i>Moringa oleifera</i> leaf and seed materials.....	129
6.4 <i>Moringa oleifera</i> nutrients and glucosinolates for improved human nutrition and health.....	134
7. Conclusion and Outlook.....	137
8. Summary.....	138
9. Zusammenfassung	140
References.....	142
Appendices.....	172