




Nadja Liebig (Autor)

The Role of Flavin-Dependent Oxidoreductases in Stress Tolerance and Detoxification of Reactive Carbonyls




UNIVERSITÄT HOHENHEIM
SCHRIFTENREIHE ZUR PHYSIOLOGIE UND
BIOTECHNOLOGIE DER PFLANZEN



Nadja Liebig

The Role of Flavin-Dependent Oxidoreductases in Stress Tolerance and Detoxification of Reactive Carbonyls

A. Schaller (Herausgeber) - Band 3



Cuvillier Verlag Göttingen
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/6323>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



Contents

Summary	xv
Zusammenfassung	xvii
1 Introduction	1
1.1 Biotic and abiotic stress in plants	1
1.1.1 Reactive oxygen species (ROS)	1
1.1.2 Protection from ROS	3
1.1.3 ROS signaling	4
1.1.4 Lipid peroxidation products	6
1.1.5 RES scavengers	8
1.1.6 RES as signaling molecules	9
1.1.7 Reactive nitrogen species	10
1.1.8 Cytoplasmic foci which develop under stress	11
1.1.9 Stress memory	14
1.2 Senescence	15
1.3 The Old Yellow Enzyme family of flavoenzymes	17
1.3.1 Homologs of OYEs in plants - OPRs	18
1.3.2 Substrates for OPRs	19
1.3.3 OPRs involved in jasmonic acid biosynthesis	20
1.3.4 OPRs not involved in jasmonic acid biosynthesis	21
1.4 Aim of this work	24
2 Materials and Methods	27
2.1 Equipment	27
2.2 Chemicals, enzymes and kits	28
2.3 Antibodies	28
2.4 Primers	29
2.5 Plasmids	30
2.6 Constructs	31
2.7 Organisms	36



Contents

2.7.1	Plant material	36
2.7.2	Bacteria strains	37
2.7.3	Yeast strains	38
2.8	Plant methods	39
2.8.1	Cultivation on soil	39
2.8.2	Cultivation on medium	39
2.8.3	Preparation of mesophyll protoplasts	40
2.8.4	Plasmolysis	40
2.8.5	Crossing	40
2.8.6	Microscopy	41
2.8.7	Transformation	41
2.8.8	Isolation of genomic DNA	42
2.8.9	Isolation of total RNA	42
2.8.10	Isolation of proteins	43
2.8.11	Exposure to high-light stress	43
2.8.12	Measurement of chlorophyll fluorescence	44
2.8.13	Determination of TBARS	44
2.8.14	Determination of anthocyanin content	44
2.8.15	Dark-induced senescence	44
2.8.16	Determination of chlorophyll content	45
2.8.17	Spraying with paraquat	45
2.8.18	DAB stain for visualization of H ₂ O ₂ production	45
2.8.19	Evans blue stain to visualize cell death	45
2.9	Bacteria methods	46
2.9.1	Cultivation	46
2.9.2	Transformation	46
2.9.3	Plasmid DNA isolation	47
2.9.4	Induction of heterologous protein expression	47
2.9.5	Cell lysis for purification of recombinant proteins	48
2.10	<i>Saccharomyces cerevisiae</i> methods	48
2.10.1	Cultivation	48
2.10.2	Transformation of chemically competent cells	49
2.10.3	Isolation of plasmid DNA	50
2.10.4	Isolation of RNA	51
2.10.5	Isolation of proteins	51
2.11	<i>Pichia pastoris</i> methods	52
2.11.1	Cultivation	52



2.11.2	Transformation	52
2.11.3	Determining the Mut phenotype	53
2.11.4	Induction of heterologous protein expression in flasks	53
2.11.5	Fermentation and heterologous protein expression in a bioreactor	55
2.11.6	Isolation of proteins	55
2.12	Standard molecular methods	56
2.12.1	Polymerase chain reaction (PCR)	56
2.12.2	Reverse transcription PCR (RT-PCR)	57
2.12.3	Estimation of nucleic acid concentration and purity	57
2.12.4	Separation of DNA on agarose gels	58
2.12.5	Cloning procedure	58
2.12.6	Precipitation of proteins	59
2.12.7	Denaturation and renaturation of proteins	59
2.12.8	Ion exchange chromatography	61
2.12.9	Affinity chromatography	62
2.12.10	Digestion with factor X _a	62
2.12.11	Dialysis of proteins	63
2.12.12	Enzyme activity test	63
2.12.13	Determination of protein concentrations by Bradford assay	63
2.12.14	Detection of FMN cofactor binding	63
2.12.15	CD spectroscopy	64
2.12.16	Denaturing SDS-polyacrylamide gel electrophoresis (SDS-PAGE)	64
2.12.17	Western blot analysis	65
2.12.18	Ponceau stain	66
2.12.19	Coomassie stain	67
2.12.20	Purification of inclusion bodies for production of antibodies	67
2.12.21	Purification of antibodies	67
3	Results	69
3.1	Function of OPR1, 2 and 4 <i>in vivo</i>	69
3.1.1	Genetic complementation confirms the role of OPR1, 2 and 4 in protecting plants from damage during high-light stress	69
3.1.2	Susceptibility of <i>opr1</i> , <i>2</i> and <i>4</i> to paraquat	71
3.1.3	Involvement of <i>OPR4</i> in dark-induced leaf senescence	74
3.1.4	Identification of substrates <i>in vivo</i>	76
3.1.5	Metabolite analysis of <i>OPR</i> T-DNA insertion lines	77
3.1.6	Detoxification of ROS and RES in yeast by OPR1, 2, 3, 4 and 5	81



3.2	Posttranscriptional regulation of <i>OPR4</i>	84
3.3	Subcellular Localization of OPR1, 2 and 4	86
3.3.1	OPR1 and 2 are localized in the same compartment	86
3.3.2	Dynamic changes in localization of OPR4 in onion epidermal cells	89
3.3.3	Subcellular localization pattern of OPR4 in <i>Arabidopsis thaliana</i>	94
3.3.4	Physiological relevance of the localization of OPR4 in spot-like structures	100
3.4	Biochemical Characterization of OPR4	102
3.4.1	Expression of the recombinant protein in <i>E. coli</i>	102
3.4.2	Expression of the recombinant protein in <i>Pichia pastoris</i>	105
3.4.3	Denaturation and renaturation of OPR4	111
4	Discussion	117
4.1	Physiological function of OPR1, 2, 4, 5 and 6	119
4.1.1	High-light stress	119
4.1.2	Oxidative stress	121
4.1.3	Senescence	122
4.1.4	Substrates and pathways	123
4.2	Differences between the OPRs	128
4.2.1	OPR1 and 2	130
4.2.2	OPR4	133
4.3	Additional members of the <i>AtOPR</i> family	140
4.4	Conclusion	140
	Bibliography	143
	Erklärung	163
	Acknowledgements	165