




Randy Alfabete Villarín (Autor)

# Genetic variation patterns of *Shorea contorta* and *Parashorea malaanonan* (Dipterocarpaceae) in the Philippines



<https://cuvillier.de/de/shop/publications/6361>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>



## TABLE OF CONTENTS

|   |      |
|---|------|
| LIST OF TABLES .....  | viii |
| LIST OF FIGURES.....  | x    |
| LIST OF APPENDICES .....  | xiii |
| 1 GENERAL INTRODUCTION.....   | 1    |
| 2 OBJECTIVES OF THE STUDY .....                                     | 3    |
| 3 REVIEW OF RELATED LITERATURE .....                                | 4    |
| 3.1 State of the Philippine Forest.....                             | 4    |
| 3.2 Reforestation efforts in the Philippines .....                  | 6    |
| 3.3 The investigated species .....                                  | 8    |
| 3.3.1 Dipterocarpaceae.....   | 8    |
| 3.3.2 The Philippine dipterocarps .....                             | 10   |
| 3.3.3 Economic and ecological significance .....                    | 10   |
| 3.3.4 Management system.....  | 11   |
| 3.3.5 <i>Shorea contorta</i> and <i>Parashorea malaanonan</i> ..... | 12   |
| 3.3.5.1 Distinguishing features.....                                | 12   |
| 3.3.5.2 Habitat .....   | 13   |
| 3.3.5.3 Phenology .....   | 13   |
| 3.3.5.4 Distribution.....   | 13   |
| 3.3.5.5 Economic importance and ecological status .....             | 13   |
| 3.4 Genetic investigations in Philippine dipterocarps .....         | 14   |
| 3.5 Transferability of SSRs in dipterocarps.....                    | 14   |
| 3.6 Applicability of SSR and AFLP markers in dipterocarps .....     | 15   |
| 4 MATERIALS AND METHODS.....  | 18   |
| 4.1 Study sites.....  | 18   |



|  |    |
|--|----|
| 4.1.1 Natural populations .....  | 20 |
| 4.1.2 Planted populations .....  | 20 |
| 4.2 Leaf sample collection .....   | 21 |
| 4.3 DNA isolation .....  | 21 |
| 4.4 Transferability of <i>Shorea</i> SSRs in <i>Shorea contorta</i> and <i>Parashorea malaanonan</i> ..... | 21 |
| 4.5 SSR genotyping .....   | 23 |
| 4.6 AFLP fingerprinting .....  | 24 |
| 4.7 Scoring of SSRs and AFLPs .....  | 24 |
| 4.8 Data Analyses .....  | 25 |
| 4.8.1 Genetic diversity .....  | 25 |
| 4.8.1.1 Null alleles, linkage disequilibrium and bottleneck .....  | 25 |
| 4.8.1.2 Genetic diversity indices .....  | 26 |
| 4.8.2 Genetic relationships among populations .....  | 27 |
| 4.8.2.1 Genetic distances and identities between populations .....   | 27 |
| 4.8.2.2 Neighbor-joining (NJ) and UPGMA cluster analyses .....   | 27 |
| 4.8.2.3 Principal Coordinate Analyses (PCoA) .....   | 27 |
| 4.8.2.4 Cluster analyses using Bayesian algorithm .....  | 28 |
| 4.8.3 Genetic differentiation .....  | 28 |
| 4.8.3.1 Fixation index ( $F_{ST}$ ) and inbreeding coefficient ( $F_{IS}$ ) .....                          | 28 |
| 4.8.3.2 Analyses of Molecular Variance (AMOVA) .....   | 28 |
| 4.8.3.3 Test for isolation by distance .....   | 29 |
| 4.8.4 Comparative and correlation analyses .....   | 29 |
| 5 RESULTS .....  | 30 |
| 5.1 <i>Shorea contorta</i> .....   | 30 |
| 5.1.1 Transferability of <i>Shorea</i> SSRs .....  | 30 |
| 5.1.2 Genetic variation patterns at SSRs .....   | 30 |



|  |    |
|--|----|
| 5.1.2.1 Genetic diversity .....  | 30 |
| 5.1.2.1.1 Null alleles, linkage disequilibrium and bottleneck .....                | 30 |
| 5.1.2.1.2 Locuswise genetic diversity among populations.....                       | 32 |
| 5.1.2.1.3 Genetic diversity within and among populations.....                      | 33 |
| 5.1.2.1.4 Groupwise comparison of genetic diversity indices .....                  | 34 |
| 5.1.2.2 Genetic relationships among populations .....                              | 38 |
| 5.1.2.2.1 Genetic distances and identities between populations .....               | 38 |
| 5.1.2.2.2 Neighbor-joining (NJ) and UPGMA cluster analyses.....                    | 38 |
| 5.1.2.2.3 Principal Coordinate Analyses (PCoA).....                                | 43 |
| 5.1.2.2.4 Cluster analyses using Bayesian algorithm.....                           | 43 |
| 5.1.2.3 Genetic differentiation.....   | 47 |
| 5.1.2.3.1 Fixation index ( $F_{ST}$ ) and inbreeding coefficient ( $F_{IS}$ )..... | 47 |
| 5.1.2.3.2 Analyses of Molecular Variance (AMOVA) .....                             | 47 |
| 5.1.2.3.3 Isolation by distance.....   | 48 |
| 5.1.3 Genetic variation patterns at AFLPs .....                                    | 52 |
| 5.1.3.1 Genetic diversity .....  | 52 |
| 5.1.3.1.1 Genetic diversity within and among populations .....                     | 52 |
| 5.1.3.1.2 Groupwise comparison of genetic diversity indices .....                  | 52 |
| 5.1.3.2 Genetic relationships among populations .....                              | 56 |
| 5.1.3.2.1 Genetic distances and identities between populations .....               | 56 |
| 5.1.3.2.2 Neighbor-joining (NJ) and UPGMA cluster analyses.....                    | 56 |
| 5.1.3.2.3 Principal Coordinate Analyses (PCoA).....                                | 59 |
| 5.1.3.2.4 Cluster analyses using Bayesian algorithm.....                           | 59 |
| 5.1.3.3 Genetic differentiation.....   | 63 |
| 5.1.3.3.1 Fixation index ( $F_{ST}$ ) .....  | 63 |
| 5.1.3.3.2 Analyses of Molecular Variance (AMOVA) .....                             | 63 |



|  |    |
|--|----|
| 5.1.3.3.3 Isolation by distance.....   | 66 |
| 5.1.4 Comparative analyses between SSRs and AFLPs .....                            | 67 |
| 5.2 <i>Parashorea malaanonan</i> .....   | 69 |
| 5.2.1 Transferability of <i>Shorea</i> SSRs .....                                  | 69 |
| 5.2.2 Genetic variation patterns at SSRs.....                                      | 69 |
| 5.2.2.1 Genetic diversity .....  | 69 |
| 5.2.2.1.1 Null alleles, linkage disequilibrium and bottleneck .....                | 69 |
| 5.2.2.1.2 Locuswise genetic diversity among populations.....                       | 71 |
| 5.2.2.1.3 Genetic diversity within and among populations .....                     | 72 |
| 5.2.2.1.4 Groupwise comparison of genetic diversity indices .....                  | 73 |
| 5.2.2.2 Genetic relationships among populations .....                              | 77 |
| 5.2.2.2.1 Genetic distances and identities between populations .....               | 77 |
| 5.2.2.2.2 Neighbor-joining (NJ) and UPGMA cluster analyses.....                    | 77 |
| 5.2.2.2.3 Principal Coordinate Analyses (PCoA).....                                | 80 |
| 5.2.2.2.4 Cluster analyses using Bayesian algorithm.....                           | 80 |
| 5.2.2.3 Genetic differentiation.....   | 84 |
| 5.2.2.3.1 Fixation index ( $F_{ST}$ ) and inbreeding coefficient ( $F_{IS}$ )..... | 84 |
| 5.2.2.3.2 Analyses of Molecular Variance (AMOVA) .....                             | 84 |
| 5.2.2.3.3 Isolation by distance.....   | 85 |
| 5.2.3 Genetic variation patterns at AFLPs .....                                    | 89 |
| 5.2.3.1 Genetic diversity .....  | 89 |
| 5.2.3.1.1 Genetic diversity within and among populations .....                     | 89 |
| 5.2.3.1.2 Groupwise comparison of genetic diversity indices .....                  | 89 |
| 5.2.3.2 Genetic relationships among populations .....                              | 93 |
| 5.2.3.2.1 Genetic distances and identities between populations .....               | 93 |
| 5.2.3.2.2 Neighbor-joining (NJ) and UPGMA cluster analyses.....                    | 94 |



|           |   |     |
|-----------|---|-----|
| 5.2.3.2.3 | Principal Coordinate Analyses (PCoA).....                                 | 95  |
| 5.2.3.2.4 | Cluster analyses using Bayesian algorithm.....                            | 95  |
| 5.2.3.3   | Genetic differentiation.....  | 99  |
| 5.2.3.3.1 | Fixation index ( $F_{ST}$ ).....  | 99  |
| 5.2.3.3.2 | Analyses of Molecular Variance (AMOVA).....                               | 99  |
| 5.2.3.3.3 | Isolation by distance.....  | 102 |
| 5.2.4     | Comparative analyses between SSRs and AFLPs.....                          | 102 |
| 6         | DISCUSSION.....   | 104 |
| 6.1       | Transferability of <i>Shorea</i> SSRs within Dipterocarpaceae.....        | 104 |
| 6.2       | Genetic diversity.....  | 106 |
| 6.3       | Inbreeding coefficient ( $F_{IS}$ ).....                                  | 108 |
| 6.4       | Genetic differentiation.....  | 108 |
| 6.5       | Possibility for uniqueness of Bohol Island population.....                | 110 |
| 6.6       | Genetic structure of plantations: differences to natural populations..... | 110 |
| 6.7       | Genetic differences of populations between regions.....                   | 112 |
| 6.8       | Comparative analyses between SSRs and AFLPs.....                          | 113 |
| 7         | CONCLUSIONS.....  | 115 |
| 7.1       | Implications for conservation.....  | 115 |
| 7.2       | Implications for the establishment of new plantations.....                | 116 |
| 8         | SUMMARY.....  | 118 |
| 9         | Zusammenfassung.....  | 122 |
| 10        | REFERENCES.....   | 127 |
| 11        | APPENDICES.....   | 151 |
|           | <i>CURRICULUM VITAE</i> .....   | 176 |