




Hermann Broder Schmidt (Autor)

Evolutionary conserved features of FG repeats that allow the formation of hydrogel-based permeability barriers with NPC-like properties



<https://cuvillier.de/de/shop/publications/6460>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Table of Contents

AFFIDAVIT	III
TABLE OF CONTENTS	VII
LIST OF PUBLICATIONS	XI
LIST OF FIGURES.....	XII
LIST OF TABLES	XIV
LIST OF ABBREVIATIONS.....	XIV
ABSTRACT.....	1
1. INTRODUCTION.....	2
1.1 THE FUNDAMENTAL ASPECTS OF NUCLEOCYTOPLASMIC EXCHANGE	3
1.2 THE NUCLEAR PORE COMPLEX	8
1.2.1 <i>The NPC is a highly modular macromolecular assembly.</i>	9
1.2.2 <i>Defined sub-complexes are the major building blocks of higher order NPC structure.</i>	10
1.2.3 <i>Scaffold nucleoporins resemble membrane coat proteins.</i>	12
1.2.4 <i>The NPC permeability barrier is formed by FG repeat domains.</i>	13
1.3 MODELS FOR THE NPC PERMEABILITY BARRIER	14
1.3.1 <i>Virtual gating and the Brownian affinity gating model</i>	15
1.3.2 <i>Polymer brushes and the reversible collapse model</i>	15
1.3.3 <i>The reduction of dimensionality model</i>	17
1.3.4 <i>The selective phase model</i>	17
1.3.5 <i>The forest model</i>	18
1.3.6 <i>At the watershed: do FG repeats interact?</i>	19
1.4 THE RELATIONSHIP BETWEEN FG REPEATS AND NQ-RICH PRIONS	19
1.5 THE FUNCTION OF FG REPEATS IN NUCLEAR DUALISM.....	22
1.5.1 <i>The complex life cycle and unique molecular biology of Tetrahymena rely on extensive nucleocytoplasmic exchange</i>	22
1.5.2 <i>Nucleus-specific nucleocytoplasmic exchange in Tetrahymena</i>	25
2. RESULTS.....	28
2.1 THE COHESIVENESS OF FG REPEATS APPEARS TO BE EVOLUTIONARY CONSERVED IN ALL EUKARYOTIC CLADES.....	28
2.1.1 <i>Identification of FG repeats in the domain Eukarya</i>	28
2.1.2 <i>Sequence analysis of the Nup98-derived FG repeats.</i>	30
2.1.3 <i>Cluster analysis of the FG repeat database.</i>	33
2.1.4 <i>Cloning, expression and purification of the Nup98-derived FG repeats and their ability to form hydrogels.</i>	38
2.1.5 <i>The size of Ran is conserved in eukaryotes and might define the minimal fineness of the NPC size-sieve.</i>	39
2.1.6 <i>Most studied FG hydrogels were found to be molecular sieves as stringent as NPCs.</i>	41
2.1.7 <i>FG hydrogels reconstitute facilitated diffusion of NTR•cargo complexes only to varying degrees.</i>	43

2.2 THE ROLE OF NON-COHESIVE FG REPEATS FOR HYDROGEL-BASED NPC-LIKE PERMEABILITY BARRIERS.	47
2.2.1 <i>The regular FSFG repeat region of Nsp1 passivates the hydrogel and facilitates the entry of active species.</i>	47
2.2 <i>The non-cohesive Nsp1 FSFG repeats also passivate the NQ-rich micronuclear Tetrahymena repeats to a certain degree.</i>	48
2.3 <i>Mutational analysis of the adhesive Nsp1₂₇₄₋₆₀₁ FSFG repeats.</i>	49
2.4 <i>The Nsp1₂₇₄₋₆₀₁ FSFG repeats seem to be highly optimized sequences.</i>	53
2.3 CONVERSION OF THE PROTOTYPICAL NQ-RICH YEAST PRION SUP35 INTO A FUNCTIONAL FG REPEAT.	55
2.3.1 <i>The yeast translation termination factor Sup35.</i>	55
2.3.2 <i>Sequence comparison between NQ-rich FG repeats and the Sup35 PrD.</i>	56
2.3.3 <i>The Sup35 PrD forms fibrillar aggregates that bind inert molecules and NTRs.</i>	58
2.3.4 <i>The exchange of all tyrosines into phenylalanines allows mutant Sup35 PrDs to form homogenous hydrogels.</i>	59
2.3.5 <i>The Sup35 Y-FG PrD binds NTRs from HeLa extracts.</i>	61
2.3.6 <i>The different Sup35 PrDs can be passivated by the Nsp1₁₇₆₋₆₀₁ domain to form selective hydrogels with NPC-like permeability properties.</i>	62
2.4 RECONSTITUTION OF THE ORTHOGONAL NPC PERMEABILITY BARRIERS OF THE BI-NUCLEATED CILIATE TETRAHYMENA THERMOPHILA.	64
2.4.1 <i>A mere exchange of FG motifs is not sufficient to alter the specificity of macronuclear FG repeats.</i>	65
2.4.2 <i>The Tetrahymena MAC and MIC Nup98-derived FG repeat hydrogels reproduce the basic aspects of nuclear dualism.</i>	66
2.4.3 <i>Biochemical identification of nucleus-specific NTRs in Tetrahymena.</i>	69
2.4.4 <i>Import adaptors may aid in nucleus-specific protein transport.</i>	71
2.4.5 <i>TtCAS binds TtImpas in a RanGTP-dependent manner and enriches in both MAC and MIC repeat hydrogels.</i>	74
2.4.6 <i>The investigated TtIMAs contain putative IBBs and bind to the Tetrahymena Impβ homolog.</i>	76
2.4.7 <i>Identification of a putative novel Imp5-like NTR suggests that Tetrahymena contains multiple Imp5 homologs possibly involved in nucleus-specific protein import.</i>	78
2.4.8 <i>Biochemical identification of additional barrier-constituting Tetrahymena Nups.</i>	79
3 DISCUSSION	83
3.1 EVIDENCE FOR A CONTINUUM OF COHESIVE FG REPEATS BETWEEN TWO EXTREME MODES OF INTER-REPEAT INTERACTION WITH DIFFERENT SIDE EFFECTS.	84
3.2 REMEDIES FOR THE SIDE EFFECTS OF FG REPEAT COHESIVENESS IN THE NPC.	85
3.3 CAN FG REPEATS WITH DIFFERENT TYPES OF COHESIVENESS BE FUNCTIONALLY EXCHANGED IN THE CONTEXT OF THE NPC?	88
3.4 THE RELATIONSHIP BETWEEN NQ-RICH FG REPEATS AND YEAST PRIONS.	89
3.5 IS THE SUP35 Y-FG PRD A FUNCTIONAL FG REPEAT?	91
3.6 SEQUENCE DETERMINANTS OF FG REPEATS.	92
3.7 ON THE EVOLUTION OF THE NPC AND ITS PERMEABILITY BARRIER.	93
3.8 THE CURRENT UNDERSTANDING OF NUCLEAR DUALISM.	95
4 MATERIALS AND METHODS	100
4.1 MATERIALS	100
4.1.1 CHEMICALS	100
4.1.2 INSTRUMENTS	100
4.1.3 SOFTWARE	101

4.1.4 BIOINFORMATICS RESOURCES	102
4.1.5 STANDARD BUFFERS AND SOLUTIONS.....	103
4.1.6 CULTIVATION MEDIA	104
<i>Escherichia coli media</i>	104
<i>Tetrahymena thermophila media</i>	105
4.1.7 STRAINS.....	105
<i>Escherichia coli strains</i>	105
<i>Tetrahymena thermophila strains</i>	106
4.1.8 OLIGONUCLEOTIDES.....	106
4.1.9 GENE SYNTHESIS	106
4.1.10 PLASMIDS	107
4.2 METHODS.....	108
4.2.1 BIOINFORMATICS ANALYSIS OF NUP98-DERIVED FG REPEATS AND RAN.....	108
<i>Identification of Nup98 Homologs in Eukarya</i>	108
<i>Extraction of FG Repeat Regions From Full-Length Nup98 Homologs</i>	108
<i>Basic Statistical Analysis of the Extracted FG Repeat Regions</i>	109
<i>Cluster Analysis of the Nup98-Derived FG Repeat Database</i>	109
<i>Identification of Ran Homologs in Eukarya</i>	110
<i>Analysis of the Ran Size Conservation</i>	110
4.2.2 STANDARD MOLECULAR BIOLOGY TECHNIQUES.....	110
<i>DNA Purification from E. Coli Cultures</i>	110
<i>Determination of DNA Concentrations</i>	110
<i>Polymerase Chain Reaction</i>	111
<i>Mutagenesis Polymerase Chain Reaction</i>	112
<i>DNA Cleavage with Restriction Enzymes</i>	112
<i>DNA Gel Electrophoresis</i>	113
<i>DNA Extraction from Agarose Gels</i>	113
<i>Ligation of DNA</i>	113
<i>Transformation of DNA into Electro-competent E. coli Cells</i>	113
<i>Employed Screening Techniques for Positive Clones</i>	114
<i>Colony Polymerase Chain Reaction</i>	114
<i>DNA Sequencing</i>	115
4.2.3 PROTEIN EXPRESSION AND PURIFICATION.....	115
<i>Expression</i>	115
<i>Cell Lysis</i>	116
<i>Native Protein Purification</i>	116
<i>Protein Purification Under Denaturing Conditions</i>	118
4.2.4 SDS-PAGE	124
4.2.5 PROTEIN COUPLING TO MALEIMIDE-SEPHAROSE.....	124
4.2.6 LABELING OF FG REPEATS AND SUP35 PRION DOMAINS	125
4.2.7 LABELING OF PEGS	125
4.2.8 PREPARATION OF FG REPEAT HYDROGELS.....	126
4.2.9 HYDROGEL PERMEATION ASSAYS	126
4.2.10 ANALYSIS OF THE HYDROGEL PERMEATION ASSAY RAW DATA	127
4.2.11 BINDING ASSAYS	127
4.2.12 HIGH-CELL DENSITY FERMENTATION OF <i>TETRAHYMENA THERMOPHILA</i>	128
4.2.13 PREPARATION OF WHOLE-CELL <i>TETRAHYMENA</i> EXTRACTS.....	128
4.2.14 PULLDOWNS FOR THE IDENTIFICATION OF NUCLEUS-SPECIFIC <i>TETRAHYMENA</i> NTRS.....	129
4.2.15 PULLDOWNS FOR THE IDENTIFICATION OF ADDITIONAL FG REPEATS IN <i>TETRAHYMENA</i>	129

Table of Contents

4.2.16 PULLDOWNS WITH THE WT AND Y-FG MUTATED SUP35 PRD.....	130
4.2.17 MASS SPECTROMETRY ANALYSIS OF PULLDOWN EXPERIMENTS.....	130
BIBLIOGRAPHY	132
ACKNOWLEDGMENTS.....	146
CURRICULUM VITAE.....	147